

GRAYLING INDUSTRIES, INC.
MATERIAL SAFETY DATA SHEET – CONTROL WETTING AGENT

This Material Safety Data Sheet (MSDS) conforms to the requirements of ANSI Z400.1.
THIS MSDS COMPLIES WITH 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD)

IMPORTANT: Read this MSDS before handling & disposing of this product.

Pass this information on to employees, customers, & users of this product.

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: **CONTROL WETTING AGENT**

Product Number: 06015

HFR Rating: 1-1-0

MANUFACTURER:

Grayling Industries, Inc.

1008 Branch Drive

Alpharetta, GA 30004

Date Prepared: June 1, 2006

Date Superseded: January 5, 2001

EMERGENCY PHONE NUMBER:

1.800.535.5053 (Infotrac)

INFORMATION: 1.800.635.1551

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

This formula contains no SARA title III regulated ingredients.

Hazardous ingredients: None in reportable concentrations per OSHA 29 CFR 1910.1200

SECTION 3. HAZARDS IDENTIFICATION

Eye: Moderate irritant to the eyes upon repeated exposure.

Skin: Can cause mild skin irritation upon repeated exposure.

Swallowing: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation: Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Symptoms of Exposure: Pre-existing respiratory, skin or eye disorders may be aggravated by exposure.

Cancer Information: None known.

Other Health Effects: No data.

SECTION 4. FIRST AID MEASURES

Eyes: If irritation develops, flush eyes gently with water for at least 15 minutes while holding eyelids open. If irritation persists, seek medical attention.

Skin: Flush with water. If symptoms persist, seek immediate medical attention.

Swallowing: Give victim water to induce vomiting; seek medical attention.

Inhalation: If symptoms develop, immediately move individual away from exposure and into fresh air to avoid breathing mists. If symptoms persist, seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point: Non-Flammable **Flammable Limits:** N/A **Fire & Explosion Hazards:** None known
Extinguishing Media: Water fog **Fire Fighting Instructions:** Not applicable

SECTION 6. ACCIDENTAL RELEASE MEASURES

Small Spills: Flush with water.

Large Spills: Recover solution, filter, and reuse if possible. Use absorbent material or mop to pick up spill.

SECTION 7. HANDLING AND STORAGE

Handling: Avoid contact with eyes; wear chemical safety goggles when handling.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear chemical safety goggles in compliance with OSHA regulations.

Skin Protection: Wear chemical resistant gloves (consult your safety equipment supplier).

Ventilation: Ventilate areas when spraying.

Respiratory Protection: Use NIOHS/MSHA approved respirator when spraying CONTROL Wetting Agent.

Work/Hygienic Practices: Wash with soap and water before eating, drinking, or smoking.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	Water - >212.0° F
Vapor Pressure:	Water 24 mmHg @ 78.0° F
Specific Vapor Density:	Water vapor Ca 2 @ AIR = 1
Specific Gravity:	(H2O=1) 1.05
Evaporation Rate:	(Butyl Acetate=1): 2
State:	Liquid (like water)
Odor:	Mild
Solubility in Water:	Infinitely soluble
Melting Point:	32.0°F

SECTION 10. STABILITY AND REACTIVITY

Hazardous Polymerization:	Product will not undergo hazardous polymerization.
Hazardous Decomposition:	None known
Chemical Stability:	Stable
Incompatibility:	None known

SECTION 11. TOXICOLOGICAL & ECOLOGICAL INFORMATION

No data

SECTION 12. DISPOSAL CONSIDERATION

Waste Management Information: Place in suitable container for disposal of water based coatings in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs – including disposal, recycling and waste stream reduction, contact Grayling Industries, Inc. at 800-635-1551.

SECTION 13. OTHER INFORMATION

EMPLOYEE TRAINING:

Employees should be made aware of all hazards of this material (as stated in this MSDS) before handling it.

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications.

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency.

Conditions of use are beyond our control, and therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

* * *